

Bracelet Length Adjustment Guide.

A clean step-by-step guide for resizing your Strapmont bracelet with confidence.

QUICK OVERVIEW

6 simple steps

for a better bracelet fit

Use the included pin removal tool and only remove the marked removable pins.

1 Find the removable pin

Do not push out fixed pins.

2 Remove the extra link

Take out the section you do not need.

3 Reconnect and secure

Reinsert the pin firmly to finish.

Step-by-step summary

1 Identify the removable pin on the bracelet and avoid the non-removable pin.

2 Use the pin tool to push the pin out from Part A.

3 Repeat the same process to remove the pin from Part B.

4 Remove the unnecessary bracelet section.

5 Rejoin the bracelet and insert the pin back into Part A.


6 Check that the bracelet is secure and the fit feels comfortable.

IMPORTANT NOTE


Work on a soft, clean surface to avoid scratches. If a pin feels tight, apply steady pressure with the tool instead of forcing it at an angle.

Illustrated bracelet adjustment steps.


Below is the original visual step-by-step guide, presented in a cleaner Strapmont instruction format for customers.




Watch Band Length
Adjustment Instructions




Use the pin removal tool to push
out the pin from Part A




In the same way, remove the pin
from Part B



Remove part B and reinstall the
remaining watch strap into part A



Use a pin remover to assemble part
A with the remaining watchband



Installation complete